	1	Rece	iving Rep	ort		
	ate: <u>13/6//</u> upplier: <u>17/28</u>	CENHA BENHA	DA	th No: <u>M/</u> P/O: 4	25788	
Packing Slip: Invoice: Receipt: Discrepancies	Yes No Yes No Cash Cr	V S Q	Release Note A Vaybill Attache hipment Com PC6 Inspection Vork Order	ed: Y plete: Y	es N es N	6Z
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
) 						4
			*			
				. 7=		
Production/Adr Date Received/Costi Initial	17/6/11	Initials	of receiver (	if shipment (	OK) Level	

# Purchase Order Receipt Listing

Tuesday, June 11, 2013 1:03:28 PM

All amounts are calculated in domestic currency.

All Line Item Types Receipt Dates from 6/11/2013 to 6/11/2013 All Vendors PO ID PO20121 Receipt Dates from 6/11/201 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$281.63		20.0000	0.0000	0.0000	\$281.63	0.0000
Bo							
MRB Qty/ MRB Reject Qty	0	0	uantity:	O U/M):	uantity:	t Value:	uantity:
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000	Total Received Quantity:	Fotal Qty to Inspect (PO U/M):	Total Reject Quantity:	Total Receipt Value:	Total Balance Due Quantity:
Cost Per Unit/ Inspected Qty/ Recv Value Rejected Qty (PO U/M)	\$14.08	\$281.63	T	Total (			Tota
Recv Qty (PO U/M)	20.0000	ė					
Recv Date/ Recv Emp	6/12/2013 6/11/2013	DESJ02					
Required Date Required Qty	6/12/2013	20:0000					
PO U/M / Stock U/M	VC-COP001 Thyssenkrupp Materials CA Ltd M6061T6T8.000W.1 f 25	ube f					
Project ID Reference/ Description/ Cert Std		6061-T6 RD Tube 8.00 X.125W M125985					
Line Nbr/ Insp Req	dor Name 1	S.					
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO20121 1	CAD					

BILL Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 905-738-9033

Ship To: DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Tel: 613-632-9577 Fax: 613-632-1053

LADING No: PEC 826333 Ship Date 10Jun13 at 7:41 From PFW Probill Via VIM TRANSFER FOB CONCORD PREPAID Frt 0- 0 Manifest Route Vhcle: Trailer Slp STAN IVERS (905-532-1350) Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST

\_\_\_\_\_\_ BILL O F LADING 1) Our Order PEC-575416- 1 Your PO # 20121 ALUMINUM TUBE 6061-T6511

8/00" OD x .125" WALL X 240.0000"

Heat Number Tag No 21258017 187488

Quantity PCS 20 FT Tags PCS

HAWKESBURY, ON K6A 1K7

LBS

TOTAL:

72

Wt LBS

Heat Number 21258017

\*\*\* Chemical Analysis \*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 1 BDL G.W. 82 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIAL'S NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

1 ....Continued Page:

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

BILL OF LADING

Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 905-738-9033

Ship To: ( 1)
DART AEROSPACE

ING No: PEC 826333
Ship Date 10Jun13 at 7:41 From PFW
Probill

Via VIM TRANSFER

FOB CONCORD Frt PREPAID

Route 0- 0 Manifest Vhcle Trailer

Slp STAN IVERS (905-532-1350)

Sold To: (20115) DART AEROSPACE

B I L L O F L A D I N G
\*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

## ALUMINUM TUBE 6061-T6511 8.00" OD x .125" WALL X 240.0000" PART NO.

PO/Rel 20121

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-826333-001

10Jun13 Pg 1/2

1		
CRESSONA, PA	Sapa Industrial Extrusions 53 POTTSVILLE STREET	

Sapa Extrusions Inc., a Subsidiary of Sapa AB

17929-0187

1100535146

Invoice To Customer ATTN: ACCOUNT PAYABLE 2821 LANGSTAFF ROAD THYSSENKRUPP MATERIALS NA INC

Ship To Customer 2821 LANGSTAFF ROAD THYSSENKRUPP MATERIALS NA INC

CONCORD, ON -1.4K-5C6

CONCORD, ON - L4K5CK

## Certified Inspection Report

Sales Order Number Line No. PEC-243517-1 29-NOV-12 SAPA673205 Cert Number Cert Crestion Date Page 29 NOV 12 Page Cert Print Date I of 2

	***************************************	4.		
Quantity Shipped		Pate Shipped	Extraded Costro Proportion	Specification
1674	LB	29-NOV-12		ASIMB241 REV 10 ASMESB241 REV 01
вл.		Item No.	1	ASMESB221 REV 09
382840		G03922838		ASTM0345 REV 11 AMS-QQ-A-2008 REV
Delivery 1d		Item No. Rev	6061/T6511	
			Marking CONTINUOUS;	1
4377822		1		
CustomerPart No.				Constant Constant
8X.125				
Applicable Specifications, Revisions and Exceptions	ons, Revisions	and Exceptions		
COMPOSITION NO	ill≥ The valu	es for 'Others Each' and	COMPOSITION NUTTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on	ьочп ол
this certified inspecti	on menort Re	this certified inspection report Remainder is Aluminum		

tested in accordance with, and has been found to meet, the applicable requirements described berein, including any specifications forming a part of the description and that samples representative of the material met the composition and had the mechanical properties shown on the face of this certification. Also, note that nearcury is not a normal contaminant in be reproduced in partial form without prior written approval of our Quality Assurance Dept. We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected, and aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to

Quantities per Lot / Packages

Lot Numbe

Signature And Title

William T. Muchin, THE William Martin III

29-NOV-12

Tech/Quality Manager

	_ !				
PCS.	PCS	PCS	PCS		UOM
Ž,	372	598	865	Gross	Weight
1	364	582	S82	Net	

Composition Limits

G12-PKG1826035 G12-PKG1826034 G12-PKG1826022 G12-PKG1826021 Package Number

21258017

21258017 2125801 2142801

1

•

;

1

## DART AEROSPACE THYSSENKRUPP MATERIALS NA

ALUMINUM TUBE 6061-T6511 8.00" OD x .125" WALL X 240.0000" PART NO.

PO/Rel 20121

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results BL PEC-826333-001

Signed by:

10Jun13 Pg 2/2

Sapa Industrial Excusions
53 POTTSVILLE STREET CRESSONA, PA

17929-0187

**Certified Inspection Report** 1100535146 Sales Order Number Line No. PEC-243517-1 Customer P/O 29-NOV-12 SAPA673205 Cert Number Cert Creation Date Page 29-NOV-12 Cert Print Date 2 of 2

Ι.			اد		
	Max	0.80	#; ::	Max	0.15
	Min	}		Min	ŀ
	Max	0.70		Max	0.05
	Min	0.15		Min	
\$	Max	0.40	Page 1	Мах	0.05
	Min		Other	Min	1
	Max	0.15	S Hoch	Max	0.05
	Min	0.80	Other	Min	!
	Max	1,20	s Totat	Мах	0.15
	Min	0.04			
	Mex	0.35			
	W.W.	:	-		
20	Mex	0.25			
			_		

## Composition Results

Alloy

1909

0.40

Min

Alloy

6061

. M

1	ì	:	;	_	 0.03	. 0,0/	76.97	9.04	67.0			100001
			4	3	3	} }	3	27.5				
Others Joral	Others Each	3	BI	_	 Zn	Ç	 Ng.	Ma	CE.	ere	2	St/Cast

## Mechanical Property - Test Limits

1661	Test Temp			
21258017	Lot Number		100000000000000000000000000000000000000	
	# of Tests	159£ Ju #	Mod	Test Type
41.6	TOWN YEAR		יות	UT
41.6	THE STATE OF THE S	•	KSI	UTS-L
35.8	Will W Value		72.	ΤΥ.
35.8	MAX Value	•	KSI	TYS-1.
9.0	NAVAME.		ę	EL 4I
9,0	WAX Value	1	PCI	L 4D-Long

## Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements

Yield strength has been determined by the 0.2% offset method

All Mill Finish Alloys produced at Sapa Extrusions comply with 0.4% Maximum Lead per RoHS, with the exception of 6262 alloy

accordance with EN 10204 Inspection Certificate Type 3.1

Melted in the USA or Other Qualified Countries as Defined by DFARS 225.872.1

Mude in USA



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

## **PURCHASE ORDER**

## Purchase Order ID PO20121

Purchase Order Date 6/7/2013 PO Print Date 6/7/2013

Page Number 1 of 1

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

**Contact Name** 

**Vendor Phone** 

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

**FOB** 

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA



Line Nbr Reference Description/ Req Date/ Reg Oty/ Ship Method **Unit Price** Extended Mfg ID Taxable Unit of Measure **Revision ID** Price Vendor Part Number M6061T6T8.000W.125 6061-T6 RD Tube 8,00 6/12/2013 \$14.6000 20.00 Yours ppd \$292.00 X.125W Yes

Special Inst.

MATERIAL: 6061-T6 OR 6061-T62 OR 6061-T6511 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8

PO Total:

\$292.00



No substitution or deviation without consent.

Certificate of Conformity or Material NO

Change Nbr:

Change Date:

6/7/2013

Certification required YES